

Bijlage 1 Referenties

(In de tekst op volgorde van eindnoten)

Referenties hoofdstuk 1

Huber, M. (2014). Towards a new, dynamic concept of Health. Its operationalisation and use in public health and healthcare, and in evaluating health effects of food'. (Proefschrift). Maastricht: Universiteit Maastricht.

Referenties hoofdstuk 2

American Psychiatric Association (2014). Handboek voor de classificatie van psychische stoornissen (DSM-5). Nederlandse vertaling van Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition. Amsterdam: Boom.

Referenties hoofdstuk 3

Kleber, R.J. (2008). Psychopathologie na rampen: algemene karakteristieken en kritische kanttekeningen. *Psychologie & Gezondheid*, 36, 117-123.

Vries, G.J. de & Olff, M. (2009). The lifetime prevalence of traumatic events and post-traumatic stressdisorder in the Netherlands. *Journal of Traumatic Stress*, 22, 259-267.

Engelhard, I.M., Hout, M.A. van den, Weerts, J., Arntz, A., Hox, J.J.C.M. & McNally, R.J. (2007). Deployment-related stress and trauma in Dutch soldiers returning from Iraq: A prospective investigation. *British Journal of Psychiatry*, 191, 140-145.

Dohrenwend, B.P., Turner, J.B., Turse, N.A., Adams, B.G., Koenen, K.C., Marshall, R., 2006. The psychological risks of Vietnam for U.S. veterans: a revisit with new data and methods. *Science* 313, 979—982.

Marmar, C.R., Schlenger, W., Henn-Haase, C., Qian, M., Purchia, E., Li, M., Corry, N., Williams, C.S. Ho, C.L., Horesh, D., Karstoft, K.I. Shalev, A. & Kulka, R.A. (2015). *JAMA Psychiatry*, 72(9), 875-81.

Neria, Y., Nandi, A. & Galea, S. (2008). Posttraumatic stressdisorder following disasters: a systematic review. *Psychological Medicine*, 38(4), 467-480.

Campbell, R., Sefl, T., Barnes, H. E., Ahrens, C. E., Wasco, S. M., & Zaragoza-Diesfeld, Y. (1999). Community services for rape survivors: Enhancing psychological well-being or increasing trauma? *Journal of Consulting and Clinical Psychology*, 67(6), 847–858.

Dworkin, E.R., Menon, S.V, Bystrynski, J., & Allen, N.E. (2017). Sexual assault victimization and psychopathology: A review and meta-analysis. *Clinical Psychology Review*, 56, 65-81.

Kilpatrick, D.G., Ruggiero, K.J., Acierno, R., Saunders, B.E., Resnick, H.S., & Best, C.L. (2003). Violence and risk of PTSD, major depression, substance abuse/dependence, and comorbidity: Results from the National Survey of Adolescents. *Journal of Consulting & Clinical Psychology*, 71, 692-700.

Fazel, M., Wheeler, J. & Danesh, J. (2005). Prevalence of serious mental disorder in 7,000 refugees resettled in Western countries: A systematic review. *The Lancet* 365 (9467), 1309-1314.

Steel, Z., Chey, T., Silove, D., Marnane, C. Bryant, R.A. & Ommeren, M. van. (2009). Association of torture and other potentially traumatic events with mental health outcomes among populations exposed to mass conflict and displacement: a systematic review and meta-analysis. *JAMA* 302(5), 537-49.

Laban, C.J., Gernaat, H.B.P.E., Komproe, I.H., Schreuders, G.A. & Jong, J. T.V.M. de (2005). Invloed van de duur van de asielpprocedure op de prevalentie van psychiatrische stoornissen bij Iraakse asielzoekers in Nederland. *Tijdschrift voor Psychiatrie*, 47, 743-752.

Creamer, M., Burgess, P., & McFarlane, A.C. (2001). Posttraumatic stress disorder: Findings from the Australian National Survey of mental health and well-being. *Psychological Medicine*, 31, 1237-1247.

Keane, T.M., Marshall, A.D., & Taft, C.T. (2006). Posttraumatic stress disorder: Etiology, epidemiology and treatment outcome. *Annual Review of Clinical Psychology*, 2, 161-197.

Debell, F., Fear, N.T., Head, M., Batt-Rawden, S., Greenberg, N., Wessely, S. & Goodwin, L. (2014). A systematic review of the comorbidity between PTSD and alcohol misuse. *Soc Psychiatry Psych Epidemiol*, 49, 1401-1425

Schäfer, I. & Langeland, W. (2015). Posttraumatic stress disorder and addiction. In: G. Dom, F. Moggi (Eds.), *Co-occurring addictive and psychiatric disorders. A practice-based handbook from a European perspective* (p.161-177). Heidelberg: Springer

Brewin, C.R., Andrews, B., Valentine, J.D & Kendall, P.C. (2000). Meta-Analysis of Risk Factors for Posttraumatic Stress Disorder in Trauma Exposed Adults. *Journal of Consulting and Clinical Psychology*, 68, 5. 748-766.

Cougle, J.R., Resnick, H. & Kilpatrick, D.G. (2009). A prospective examination of PTSD symptoms as risk factors for subsequent exposure to potentially traumatic events among women. *Journal of Abnormal Psychology*, 118(2), 405-11.

Cougle, J.R., Resnick, H. & Kilpatrick, D.G. (2009a). Does prior exposure to interpersonal violence increase risk of PTSD following subsequent exposure? *Behavior Research and Therapy*, 47(12), 1012-7.

Engelhard, I.M., Olatunji, B.O. & Jong, P.J. de (2011). Disgust and the development of posttraumatic stress among soldiers deployed to Afghanistan. *Journal of Anxiety Disorders*, 25(1), 58-63.

Ozer, E.J., Best, S.R., Lipsey, T.L. & Weiss, D.S. (2003). Predictors of posttraumatic stress disorder and symptoms in adults: a meta-analysis. *Psychological Bulletin*, 129(1):52-73.

Heide, F.J.J. ter, Mooren, T.M., & Kleber, R.J. (2016). Complex PTSD and phased treatment in refugees: A debate piece. *European Journal of Psychotraumatology*, 7: 286-287.

Heide, F.J.J. ter, Smid, G., Mooren, T., & Kleber, R. (March 2015). *Prevalence of complex PTSD in trauma-exposed populations: Systematic review and meta-analysis*. Paper presented at the 14th European Conference on Traumatic Stress, Vilnius.

Palic, S., Zerach, G., Shevlin, M., Zeligman, Z., Elklit, A., & Solomon, Z. (2016). Evidence of complex posttraumatic stress disorder (CPTSD) across populations with prolonged trauma of varying interpersonal intensity and ages of exposure. *Psychiatry Research*, 246, 692-699.

Herman, J.L. (1992). *Trauma and Recovery: the aftermath of violence*. New York: Basic Books.

Alisic, E., Schoot, T.A.W. van der, Ginkel, J.R. van, & Kleber, R.J. (2008). Trauma exposure in primary school children: Who is at risk? *Journal of Child and Adolescent Trauma*, 1, 263–269.

Boer, F. & Lindauer, R. (2012). *Kinderpsychologie in praktijk: Trauma bij kinderen*. Houten: Terra-Lannoo

Alisic, E., Zalta, A.K., Wesel, F. van, Larsen, S.E., Hafstad, G.S., Hassanpour, K., Smid, G.E. (2014). Rates of post-traumatic stress disorder in trauma-exposed children and adolescents: meta-analysis. *British Journal of Psychiatry*, 204 (5) 335-340.

Hiller, R.M., M. Meiser-Stedman, P. Fearon, S. Lobo, A. McKinnon, A. Fraser en S.L. Halligan (2016) Research Review: Changes in the Prevalence and Symptom Severity of Child Post-Traumatic Stress Disorder in the Year Following Trauma - A Meta-Analytic Study. National Library Of Medicine (<https://pubmed.ncbi.nlm.nih.gov/27169987/>)

Beer, R. & Roos, C. de (2012). Diagnostiek van getraumatiseerde kinderen en adolescenten. In: O. van der Hart, R. Kleber, E. Vermetten (red.). *Handboek Posttraumatische stressstoornissen*. Utrecht: De Tijdstroom.

Biggs, Q.M., Guimond, J.M., Fullerton, C.S., Ursano, R.J., Gray, C., Goldenberg, M., Reissman, D., McCarroll, J.E., Santiago, P. & Tyler, M.P. (2012). The Epidemiology of Acute Stress Disorder and Other Early Responses to Trauma in Adults. In: J. Gayle Beck and Denise M. Sloan (Eds.), *The Oxford Handbook of Traumatic Stress Disorders*. Oxford, UK: Oxford University Press. DOI: 10.1093/oxfordhb/9780195399066.013.0006

Bryant, R.A. (2011) Acute stress disorder as a predictor of posttraumatic stress disorder: a systematic review. *Journal of Clinical Psychiatry*, 72(2), 233-239.

Barton, K.A., Blanchard, E.B. & Hickling, E.J. (1996). Antecedents and consequences of acute stress disorder among motor vehicle accident victims. *Behaviour Research and Therapy*, 34, 805.

Bryant, R.A. & Harvey, A.G. (2000). *Acute Stress Disorder: A Handbook of Theory, Assessment, and Treatment*. Washington DC. American Psychological Association.

Fuglsang, A.K., Moergeli, H. & Schnyder, U. (2004). Does acute stress disorder predict post-traumatic stress disorder in traffic accident victims? Analysis of a self-report inventory. *Nordic Journal of Psychiatry*, 58(3), 223-9.

Lundorff, M., H. Holmgren, R. Zachariae, I. Farver-Vestergaard en M. O'Conner (2017). Prevalence of Prolonged Grief Disorder in Adult Bereavement: A Systematic Review and Meta-Analysis. Pubmed. Gov <https://pubmed.ncbi.nlm.nih.gov/28167398/>

Lobb, E. A., Kristjanson, L. J., Aoun, S. M., Monterosso, L., Halkett, G. K., & Davies, A. (2010). Predictors of complicated grief: a systematic review of empirical studies. *Death Studies* 34, 673-698.

Stroebe, M. S., Schut, H. A. W., & Stroebe, W. (2007). Health consequences of bereavement: A review. *The Lancet*, 370, 1960-1973.

Nickerson, A., Liddell, B., Maccallum, F., Steel, Z., Silove, D., & Bryant, R. (2014). Posttraumatic stress disorder and prolonged grief in refugees exposed to trauma and loss. *BMC Psychiatry*, 14(1), 106. doi:10.1186/1471-244X-14-106.

Djelantik, A.A.A.M.J., Smid, G.E., Mroz, A., Kleber, R.J., & Boelen, P.A. (2020). The prevalence of Prolonged Grief Disorder in bereaved individuals following unnatural losses: Systematic review and meta-analysis. *Journal of Affective Disorders*, 265, 146-156. <https://doi.org/10.1016/j.jad.2020.01.034>

R. Fraley (2018) Adult Attachment Theory and Research. University of Illinois (<http://labs.psychology.illinois.edu/~rcfraley/attachment.htm>)

American Psychiatric Association (2014). Handboek voor de classificatie van psychische stoornissen (DSM-5). Nederlandse vertaling van Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition. Amsterdam: Boom.

Haagen, J.F.G., Smid, G.E., Knipscheer, J.W. & Kleber, R.J. (2015). The efficacy of recommended treatments for veterans with PTSD: A metaregression analysis. *Clinical Psychology Review*, 40. 184-194.

Yehuda, R., Vermetten, E., McFarlane, A. C., & Lehrner, A. (2014). PTSD in the military: Special considerations for understanding prevalence, pathophysiology and treatment following deployment. *European Journal of Psychotraumatology*, 5: 25322 - <http://dx.doi.org/10.3402/ejpt.v5.25322>

Referenties hoofdstuk 4

Howe, M.L. (2013). Memory development: implications for adults recalling childhood experiences in the courtroom. *Nature Reviews Neuroscience*, 14, 12, 869-876.

Brewin, C. & Andrews, B. (2017). Creating Memories for False Autobiographical Events in Childhood: A Systematic Review. *Applied Cognitive Psychology*, 31, 2-23.

Isserlin, L., Zerach, G. & Solomon, Z. (2008). Acute stress responses: A review and synthesis of ASD, ASR, and CSR. *American Journal of Orthopsychiatry*, 78(4), 423-429.

Isserlin, L., Zerach, G. & Solomon, Z. (2008). Acute stress responses: A review and synthesis of ASD, ASR and CSR. *American Journal of Orthopsychiatry*, 78(4), 423-429.

Boelen, P. A. (2016). Complexe rouw begrijpen en behandelen (en andere vraagstukken voor de psychotraumatologie). Inaugurale rede. Diemen: Arq Psychotrauma Expertgroep.

Beer, R., Verlinden, E. & Lindauer, R. (2013). Protocol voor classificatie, screening en diagnostiek van kinderen en adolescenten met trauma gerelateerde problematiek (blz. 21). De Bascule. www.kenniscentrum-kjp.nl; www.nji.nl.

Mrazek, R.J., & Haggerty, R.J. (1994). Reducing risks for mental disorders: Frontiers for preventive intervention research. Washington, DC: National Academy Press.

Velden, P. van der, P. van Loon, J. IJzermans en R. Kleber (2006) Psychosociale zorg direct na een ramp. *De Psycholoog*, december 2006 (raadgepleegd via <https://adoc.tips/peter-van-der-velden-peter-van-loon-joris-ijzermans-en-rolf-.html> op 15 juni 2020)

Kleber, R.J. (2019). Trauma and public mental health: A focused review. *Frontiers in Psychiatry*, 10 (451), 1-6. DOI: 10.3389/fpsy.2019.00451.

Roberts, N. P., Kitchiner, N. J., Kenardy, J., & Bisson, J. I. (2010). Early psychological interventions to treat acute traumatic stress symptoms. *Cochrane Database of Systematic Reviews*, 3.

Jarero, I., Uribe, S., Artigas, L. & Givaudan, M. (2015). EMDR Protocol for Recent Critical Incidents: A Randomized Controlled Trial in a Technological Disaster Context. *Journal of EMDR Practice and Research*, 9(4), 166-173.

Shapiro, E., Laub, B. (2015). Early EMDR Intervention Following a Community Critical Incident: A Randomized Clinical Trial. *Journal of EMDR Practice and Research*, Volume 9, Number 1, 17-27.

Ronan, K.R., Haynes, K., Towers, B., Alisic, E., & Ireland, N. (2016). Child-centered disaster risk reduction: Can disaster resilience programs reduce risk and increase the resilience of children and households? *Australian Journal of Emergency Management*, 31(3), 49-58.

Bisson, J.I. (2014). Early responding to traumatic events. *British Journal of Psychiatry*, 204, 329-330.

Overbeek, M.M., Schipper, J.C. de, Lamers - Winkelman, F. & Schuengel, C. (2013). Efficacy of community-based intervention for child witnesses of interparental violence: a randomized trial. *Child Abuse & Neglect*, 37, 1202 - 1214.

Schut, H.A.W., Stroebe, M.S., Bout, J. van den, & Terheggen, M. (2001). The efficacy of bereavement interventions: Determining who benefits. In M.S. Stroebe, R.O. Hansson, W. Stroebe, & H.A.W. Schut (Eds.), *Handbook of bereavement research: Consequences, coping and care* (pp. 705-738). Washington, DC: American Psychological Association.

Wittouck, C., Autreves, S. van, Jeagere, E. de, Portzky, G., & van Heeringen, K. (2011). The prevention and treatment of complicated grief: A meta-analysis. *Clinical Psychology Review*, 31, 69-78.

Juffer, F., Bakermans-Kranenburg, M. J., & IJzendoorn, M. H. van. (2008). *Promoting positive parenting: An attachment-based intervention*. New York: Lawrence Erlbaum.

Brewin, C., & Andrews, B. (2017). Creating Memories for False Autobiographical Events in Childhood: A Systematic Review. *Applied Cognitive Psychology*, 31, 2-23.

Merckelbach, H., Langeland, W., de Vries, G., & Draijer, N. (2014). Symptom overreporting obscures the dose-response relationship between trauma severity and symptoms. *Psychiatry Research*, 217(3): 215-9.

Gezondheidsraad (2004). *Omstreden herinneringen*. Publicatienr 2004/02. Den Haag: Gezondheidsraad.

Herdman, T.H., & Kamitsuru, S.,(2017) *NANDA international, verpleegkundige diagnoses en classificaties, 2015-2017*, Houten, Nederland: Bohn Stafleu van Loghum

American Academy of Child and Adolescent Psychiatry-AACAP (2010) Practice Parameter for the assessment and treatment of children and adolescents with posttraumatic stress disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, 46(4), 414-430.

NICE (2005) Post-traumatic stress disorder. The management of PTSD in adults and children in primary and secondary care. National Clinical Practice Guideline Number 26.

World Health Organization (2013). *Guidelines for the Management of Conditions That are Specifically Related to Stress*. Geneva, WHO Publication.

Beer, R. & Roos, C. de (2012). Diagnostiek van getraumatiseerde kinderen en adolescenten. In: O. van der Hart, R. Kleber, E. Vermetten (red.). Handboek Posttraumatische stressstoornissen. Utrecht: De Tijdstroom.

Lindauer, R.J.L. & Boer, F. (2012). Trauma bij kinderen. Houten: Lannoo Campus.

Roos, C de & Eland, J. (2005). Posttraumatische stressstoornis bij kinderen en adolescenten: diagnostiek en hulpverlening. In: B.P.R. Gersons en M. Olf (red.). Behandelingsstrategieën bij posttraumatische stress-stoornissen. Houten: Bohn Stafleu van Loghum, pp. 119-139.

Briere, J., Johnson, K., Bissada, A., Damon, L., Crouch, J., Gil, E., Hanson, R., & Ernst, V. (2001). The Trauma Symptom Checklist for Young Children (TSCYC): Reliability and association with abuse exposure in a multi-site study. *Child Abuse & Neglect*, 25, 1001-1014

Friedrich, W.N. (1997). *Child Sexual Behavior Inventory: Professional Manual*. Odessa, FL: Psychological Assessment Resources.

American Psychiatric Association (2014). Handboek voor de classificatie van psychische stoornissen (DSM-5). Nederlandse vertaling van *Diagnostic and Statistical Manual of Mental Disorders*, Fifth Edition. Amsterdam: Boom.

Meewisse, M.L., Olf, M., Kleber, R., Kitchiner, N.J., Gersons, B.P.R. (2011). The course of mental health disorders after a disaster: predictors and comorbidity. *Journal of Traumatic Stress*, 24, 405–413.

Lambert, M.J., Whipple, J.L., Vermeersch, D.A., Smart, D.W., Hawkins, E.J., Nielsen, S.L. & Goates, M. (2002). Enhancing psychotherapy outcomes via providing feedback on patient progress: a replication. *Clinical Psychology and Psychotherapy*, 9, 91–103.

Referenties hoofdstuk 5

Watts, B.V., Zayed, M.H., Llewellyn-Thomas, H. & Schnurr, P.P. (2016). Understanding and meeting information needs for patients with posttraumatic stress disorder. *BMC Psychiatry*, 16, 21. <http://doi.org/10.1186/s12888-016-0724-x>.

Hafkenscheid, A. (2014). *De Therapeutische Relatie*. Utrecht: De Tijdstroom.

Gezondheidsraad (2004). Rapport 'Omstreden herinneringen'. Informatiefolder Behandel mogelijkheden. <https://www.gezondheidsraad.nl/documenten/adviezen/2004/01/27/omstredn-herinneringen>

Minnen, A. van, Zoellner, L.A., Harned, M.S. & Mills, K. (2015). Changes in comorbid conditions after prolonged exposure for PTSD: a literature review. *Current psychiatry reports*, 17(3), 1-16.

Knaevelsrud C, Maercker A. Internet-based treatment for PTSD reduces distress and facilitates the development of a strong therapeutic alliance: a randomized controlled clinical trial. *BMC Psychiatry*. 2007;7:13.

Van Emmerik AAP, Kamphuis JH, Emmelkamp PMG. Treating acute stress disorder and posttraumatic stress disorder with cognitive behavioral therapy or structured writing therapy: a randomized controlled trial. *Psychother Psychosom*. 2008;77:93–100.

Van Emmerik AAP, Reijntjes A, Kamphuis JH. Writing therapy for posttraumatic stress: a meta analysis. *Psychother Psychosom*. 2013;82:82–8.

Lange A, van de Ven JPQR, Schrieken BAL, et al. Internet-mediated, protocol-driven treatment of psychological dysfunction. *J Telem Telecare*. 2000;6:15–21.

Lange A, Van de Ven JP, Schrieken B, et al. Interapy. Treatment of posttraumatic stress through the Internet: a controlled trial. *J Behav Ther Exp Psychiatry*. 2001;32:73–90.

Lange A, Rietdijk D, Hudcovicova M, et al. A controlled randomized trial of the standardized treatment of posttraumatic stress through the Internet. *J Consult Clin Psychol*. 2003;71:901–9.

Ruwaard J, Lange A, Schrieken B, et al. The effectiveness of online cognitive behavioral treatment in routine clinical practice. *PLoS One*. 2012;7:e40089.

Sloan, D.M., Marx, B.P., Bovin, M.J., Feinstein, B.A. & Gallagher, M.W. (2012). Written exposure as an intervention for PTSD: A randomized controlled trial with motor vehicle accident survivors. *Behaviour Research and Therapy*, 50, 627-635.

NICE (2018). Post-traumatic stress disorder. National Clinical Practice Guideline Number 116. London: National Institute for Health and Care Excellence.
<https://www.nice.org.uk/guidance/ng116/resources/posttraumatic-stress-disorder-pdf>
66141601777861

Mavranouzouli I., Megnin-Viggars, O., Daly, C., Dias, S., Welton, N.J., Stockton, S.,& Pilling, S. (2020). Psychological treatments for post-traumatic stress disorder in adults: a network meta-analysis. *Psychological Medicine* 50, 542–555.
<https://doi.org/10.1017/S0033291720000070>

Bisson JI, Berliner L, Cloitre M, Forbes D, Jensen TK, Lewis C, Monson CM, Olf M, Pilling S, Riggs DS, Roberts NP, Shapiro F. (2019). The International Society for Traumatic Stress Studies New Guidelines for the Prevention and Treatment of PTSD: Methodology and Development Process. *Journal of Traumatic Stress*, 32, 475-483.

Metcalf, O., Varker, T., Forbes, D., Phelps, A., Dell, L., DiBattista, A., ... & O'Donnell, M. (2016). Efficacy of Fifteen Emerging Interventions for the Treatment of Posttraumatic Stress Disorder: A Systematic Review. *Journal of traumatic stress*, 29(1), 88-92.

Cloitre, M., Stovall-McClough, K.C., Noonan, K., Zorbas, P., Cherry, S., Jackson, C.L., Gan, W. & Petkova, E. (2010). Treatment for PTSD related to childhood abuse: A randomized controlled trial. *American Journal of Psychiatry*, 167, 915-924.

Cloitre, M., Koenen, K.C., Cohen, L.R. & Han, H. (2002). Skills training in affective and interpersonal regulation followed by exposure: A phase based treatment for PTSD related to childhood abuse. *Journal of Consulting and Clinical Psychology*, 70, 1067-1074.

Dorrepaal, E., Thomaes, K. & Drayer, N. (2009) *Vroege en Verder, stabilisatiecursus na misbruik of mishandeling*. Amsterdam, the Netherlands: Pearson.

Mauritz, M.W. (2013) Verpleegproblemen bij patiënten met PTSS. In Bours, G.J.W., Eliens, A.M., Goossens, P.J.J. (Reds.), Effectief verplegen, handboek ter onderbouwing van het verpleegkundig handelen (p. 237-283). Dwingeloo: Kavanah.

Deth van, R. (2015) Psychiatrie van diagnose tot behandeling. Houten: Bohn Stafleu van Loghum

Mauritz, M. (2016). Complexe PTSS: zorgprogramma complexe traumagerelateerde stoornissen. In Meijel, B. (Red.), GGZ-verpleegkunde in de praktijk (p 287-305). Utrecht: De Tijdstroom.

Oortwijn, T., & Maduro, S.L.(2016). Stress, trauma en dissociatie. In Clijsen, M., Garenfeld, W., Piere van, M., Klijs, C., Stringer, B. (Reds.), Leerboek psychiatrie voor verpleegkundigen (vierde, herziene druk). Houten: Bohn Stafleu van Loghum.

Dorrepal, E., Thomaes, K. & Draijer, N. (2018). Vroeger en verder – vaardigheidstraining en cognitieve therapie na misbruik of mishandeling (3e ed.). Amsterdam: Pearson.

Cingel, C.J.M. (2012). Compassie in de verpleegkundige praktijk, een leidend principe voor goede zorg. Amsterdam: Boom Lemma Uitgevers.

Beer, R. & Roos, C. de (2012). Diagnostiek van getraumatiseerde kinderen en adolescenten. In: O. van der Hart, R. Kleber, E. Vermetten (red.). Handboek Posttraumatische stressstoornissen. Utrecht: De Tijdstroom.

Cohen, J.A. (2010). Practice Parameter for the Assessment and Treatment of Children and Adolescents With Posttraumatic Stress Disorder. JAACAP, 49(4), 414-430.

Handboek EMDR bij kinderen en Jongeren, Renee Beer en Carlijn de Roos
Went, M (2014) Ouder-kind traumatherapie, een geïntegreerde psychotherapeutische behandeling met EMDR voor kinderen met preverbaal trauma, GZ psychologie, 2, 18-24

Lovett, J (2015). Trauma-Attachment Tangle: Modifying EMDR to help Children resolve Trauma and develop loving relationships. New York: Routledge

Wolf, E. J., Lunney, C. A., Miller, M. W., Resick, P. A., Friedman, M. J., & Schnurr, P. P. (2012). The dissociative subtype of PTSD: A replication and extension. *Depression and Anxiety*, 29(8), 679-688. doi:10.1002/da.21946

Resick PA, Suvak MK, Johnides BD, Mitchell KS, Iverson KM. The impact of dissociation on PTSD treatment with cognitive processing therapy. *Depress Anxiety*. 2012 Aug;29(8):718-30. doi: 10.1002/da.21938.

Dorrepal E, Thomaes K, Hoogendoorn AW, Veltman DJ, Draijer N, van Balkom AJ. Evidence based treatment for adult women with child abuse related Complex PTSD: a quantitative review. *Eur J Psychotraumatol* 2014; 5: 23613 <http://dx.doi.org/10.3402/ejpt.v5.23613>.

Cloitre, M., Stovall-McClough, K.C., Noonan, K., Zorbas, P., Cherry, S., Jackson, C.L., Gan, W. & Petkova, E. (2010). Treatment for PTSD related to childhood abuse: A randomized controlled trial. *American Journal of Psychiatry*, 167, 915-924.

Cloitre, M., Koenen, K.C., Cohen, L.R. & Han, H. (2002). Skills training in affective and interpersonal regulation followed by exposure: A phase based treatment for PTSD related to childhood abuse. *Journal of Consulting and Clinical Psychology*, 70, 1067-1074.

Dorrepal E, Thomaes K, Hoogendoorn AW, Veltman DJ, Draijer N, van Balkom AJ. Evidence based treatment for adult women with child abuse related Complex PTSD: a quantitative review. *Eur J Psychotraumatol* 2014; 5: 23613 <http://dx.doi.org/10.3402/ejpt.v5.23613>

Ehring, T., Welboren, R., Morina, N., Wicherts, J. M., Freitag, J., & Emmelkamp, P. M. (2014). Meta-analysis of psychological treatments for posttraumatic stress disorder in adult survivors of childhood abuse. *Clinical psychology review*, 34(8), 645-657.

Haagen, J.F.G., Smid, G.E., Knipscheer, J.W. & Kleber, R.J. (2015). The efficacy of recommended treatments for veterans with PTSD: A metaregression analysis. *Clinical Psychology Review*, 40. 184-194.

Hafkenscheid, A. (2014). *De Therapeutische Relatie*. Utrecht: De Tijdstroom.

Stofsel M & Mooren, T (2010). Complex trauma, diagnostiek en behandeling. BSL Houten.

Boon, vd, N. & Bakel van, H. (2017). Modified Intergaction Guidance: interventie bij gedesorganiseerde gehechtheid en trauma. BSL Houten

Kolk, B. van der (2014) Traumasporen. Boom Psychologie, Amsterdam

Parnell, L. (2013) Attachment-Focused EMDR: Healing Relational Trauma. W. W. Norton & Company, New York

Bryant, R.A. (2017). Acute stress disorder. *Current Opinion in Psychology*, 14, 127-131.

Bagner, D.M. & Eyberg, S.M. (2007). Parent-child interaction therapy for disruptive behavior in children with mental retardation: A randomized controlled trial. *Journal of Clinical Child and Adolescent Psychology*, 36, 418-429.

Lieberman, A.F., Horn, P. van & Ippen, C.G. (2005). Toward evidence-based treatment: child-parent psychotherapy with preschoolers exposed to marital violence. *J Am Acad Child Adolesc Psychiatry*, 44, 1241-8.

Juffer, F., Bakermans-Kranenburg, M.J. & IJzendoorn, M.H. van (2008). Promoting positive parenting: An attachment-based intervention. New York: Lawrence Erlbaum

Lundorff, M., H. Holmgren, R. Zachariae, I. Farver-Vestergaard en M. O'Conner (2017). Prevalence of Prolonged Grief Disorder in Adult Bereavement: A Systematic Review and Meta-Analysis. Pubmed. Gov <https://pubmed.ncbi.nlm.nih.gov/28167398/>

Bernardy, N.C. & Friedman, M.J. (2017). Pharmacological management of posttraumatic stress disorder. *Current Opinion in Psychology*, 14, 116-121.

Lee, D.J., Schnitzlein, C.W., Wolf, J.P., Vythilingam, M., Rasmusson, A.M. & Hoge, C.W. (2016). Psychotherapy versus Pharmacotherapy for Posttraumatic Stress Disorder: Systemic Review and Meta-Analyses to Determine First-Line Treatments. *Depression and Anxiety*, 33(9), 792-806.

Jonah, D.E., Cusack, K., Fomeris, C.A., Forneris, C.A., Wilkins, T.M., Sonis, J., Middleton, J.C., Feltner, C., Meredith, D., Cavanaugh, J., Brownley, K.A., Olmsted, K.R., Greenblat, A., Weil, A. & Gaynes, B.N. (2013). Psychological and pharmacological treatments for adults with posttraumatic stress disorder (PTSD). *Comparative Effectiveness Reviews*, 92. Retrieved from <http://www.ncbi.nlm.nih.gov/books/NBK137702/>

Seda, G., Sanchez-Ortuno, M.M., Welsh, C.H., Halbower, A.C. & Edinger, J.D. (2015). Comparative meta-analysis of prazosin and imagery rehearsal therapy for nightmare frequency, sleep quality and posttraumatic stress. *Journal of Clinical Sleep Medicine*, 11(1), 11.

George, K.C., Kebejian, L., Ruth, L.J., Miller, C.W. & Himelhoch, S. (2016). Meta-analysis of the efficacy and safety of prazosin versus placebo for the treatment of nightmares and sleep disturbances in adults with posttraumatic stress disorder. *Journal of Trauma & Dissociation*, 17(4), 494-510.

Khachatryan, D., Groll, D., Booij, L., Sepehry, A.A. & Schütz, C.G. (2016). Prazosin for treating sleep disturbances in adults with posttraumatic stress disorder: a systematic review and meta-analysis of randomized controlled trials. *General Hospital Psychiatry*, 39, 46-52.

Rodgman, C., Verrico, C.D., Holst, M., Thompson-Lake, D., Haile, C.N., De La Garza, R. & Newton, T.F. (2016). Doxazosin XL reduces symptoms of Posttraumatic Stress Disorder in veterans with PTSD: a pilot clinical trial. *Journal of Clinical Psychiatry*, 77(5), 561-565.

Smith, C. & Koola, M.M. (2016). Evidence for Using Doxazosin in the Treatment of Posttraumatic Stress Disorder. *Psychiatric annals*, 46(9), 553-555.

Lipinska, G., Baldwin, D.S. & Thomas, K.G. (2016). Pharmacology for sleep disturbance in PTSD. *Human Psychopharmacology*, 31(2), 156-63.

Schneier, F.R., Campeas, R., Carcamo, J., Glass, A., Lewis-Fernandez, R., Neria, Y., Sanchez-Lacay, A., Vermes, D. & Wall, M. M. (2015). Combined mirtazapine and SSRI treatment of PTSD: A placebo-controlled trial. *Depression and Anxiety*, 32, 570-579.

Davidson, J. (2015). Vintage treatments for PTSD: a reconsideration of tricyclic drugs. *Journal of Psychopharmacology*, 29(3), 264-9.

Villarreal, G., Hamner, M.B., Cañive, J.M., Robert, S., Calais, L.A., Durklaski, V., Zhai, Y. & Qualls, C. (2016). Efficacy of Quetiapine Monotherapy in Posttraumatic Stress Disorder: A Randomized, Placebo-Controlled Trial. *American Journal of Psychiatry*, 173 (12), 1205-1212.

Belkin, M.R. & Schwartz, T.L. (2015). Alpha-2 receptor agonists for the treatment of posttraumatic stress disorder. *Drugs in Context*, 4, 212286. <http://doi.org/10.7573/dic.212286>.

Batki, S.L., Pennington, D.L., Lasher, B., Neylan, T.C., Metzler, T., Waldrop, A., ... Herbst, E. (2014). Topiramate Treatment of Alcohol Use Disorder in Veterans with PTSD: A Randomized Controlled Pilot Trial. *Alcoholism, Clinical and Experimental Research*, 38(8), 2169-2177.

Guina, J., Rossetter, S.R., DeRhodes, B.J., Nahhas, R.W. & Welton, R.S. (2015). Benzodiazepines for PTSD: A systematic review and meta-analysis. *Journal of Psychiatric Practice*, 21(4), 281-303.

Boelen, P.A. & Smid, G.E. (2017). Disturbed grief: prolonged grief disorder and persistent complex bereavement disorder. *British Medical Journal*, 357. doi:10.1136/bmj.j2016.

Shear, M.K., Reynolds, C.F., Simon, N.M., Zisook, S., Wang Y., Mauro C., Duan, N., Lebowitz, B. & Skritskaya, N. (2016). Optimizing Treatment of Complicated Grief: A Randomized Clinical Trial. *JAMA Psychiatry*, 73, 685-694.

Boer, F. & Lindauer, R.J.L. (2012). Psychofarmacologie bij kinderen. In: O. van der Hart, R. Kleber, E. Vermetten (red.). *Handboek Posttraumatische stressstoornissen*, pp. 431-441. Utrecht: De Tijdstroom.

Kuester, A., Niemeyer, H. & Knaevelsrud, C. (2016). Internet-based interventions for posttraumatic stress: A meta-analysis of randomized controlled trials. *Clinical Psychology Review*, 43, 1-16.

Sijbrandij M, Kunovski I, Cuijpers P. (2016). Effectiveness of Internet-Delivered Cognitive Behavioral Therapy for Posttraumatic Stress Disorder: A Systematic Review and Meta-Analysis. *Depression and Anxiety*, 33(9), 783-791.

Kamp, M. van de M., Scheffers, M., Hatzmann, J., Emck, C., Cuijpers, P., & Beek, P. J. (2019). Body-and Movement-Oriented Interventions for Posttraumatic Stress Disorder: A Systematic Review and Meta-Analysis. *Journal of traumatic stress*, 32(6), 967-976.

Aerts, L. C., Busschbach, J. T., & Wiersma, D. (2011). Vaktherapie in Noord Nederland: een beschrijving van de beroepspraktijk, behandelresultaten en tevredenheid van patiënten met vaktherapie binnen de noordelijke geestelijke gezondheidszorg. *RGOc*.

Hensbroek, W. & Nissen, I. (2014). Mijn grens? Mijn grens! Een vaktherapeutisch groepsaanbod voor vrouwen met een complexe posttraumatische stressstoornis. *Tijdschrift voor Vaktherapie*, 10 (2), 53-60.

Drozdek, B. (2013). If you want to go fast go alone, if you want to go far go together. On context sensitive group treatment of asylum seekers and refugees traumatized by war and terror. (Proefschrift). Utrecht: Universiteit Utrecht.

Gaaikema, E. (2014). Een trauma heb je niet alleen. Systemisch werken met beeldende therapie. *Tijdschrift voor Vaktherapie*, 10(4), 48-53.

Schouten, K.A., Niet, G.J. de, Knipscheer, J.W., Kleber, R.J. & Hutschemaekers, G.J.M. (2015). The effectiveness of art therapy in the treatment of traumatized adults: A systematic review on art therapy and trauma. *Trauma, Violence and Abuse*, 220-8. doi: 10.1177/1524838014555032.

Gray, A.E.L. (2011) Expressive arts therapies: Working with survivors of torture. *Torture*, 21, 139-147.

Pierce, L. (2014). The integrative power of dance/movement therapy: Implications for the treatment of dissociation and developmental trauma. *The Arts in Psychotherapy*, 41, 7-15.

Nederlandse Vereniging voor Psychomotorische Therapie. (2009). Beroepsprofiel PMT. Utrecht: NVPMT.

Scheffers, W.J. & Helleman, M.L. (2013). Trauma, lichaamsbeleving en seksualiteit. Een geïntegreerd behandelprogramma met bewegings-, lichaamsgerichte en verbale componenten. Diemen: Arq Psychotrauma Expert Groep / Boom.

Malchiodi, C. (2012). *Handbook of Art Therapy*. New York/London: The Guildford press.

Cohen, H., Kaplan, Z., Kotler, M., Kouperman, I., Moisa, R. & Grisaru, N. (2004). Repetitive transcranial magnetic stimulation of the right dorsolateral prefrontal cortex in posttraumatic stress disorder: a double-blind, placebo-controlled study. *American Journal of Psychiatry*, 161(3):515-524.

Isserles, M., Shalev, A.Y., Roth, Y., Peri, T., Kutz, I., Zlotnick, E. & Zangen, A. (2013). Effectiveness of deep transcranial magnetic stimulation combined with a brief exposure procedure in post-traumatic stress disorder—a pilot study. *Brain Stimulation*, 6(3):377-383.

Nam, D.H., Pae, C.U. & Chae, J.H. (2013). Low-frequency, Repetitive Transcranial Magnetic Stimulation for the Treatment of Patients with Posttraumatic Stress Disorder: a Double-blind, Sham-controlled Study. *Clinical Psychopharmacology and Neuroscience*, 11(2), 96-102.

Bongaerts, H., Minnen, A. van & Jongh, A. de (2017). Intensive EMDR to treat patients with complex posttraumatic stress disorder: A case series. *Journal of EMDR Practice and Research*, 11(2), 84-95.

Ehlers, A., Hackmann, A., Grey, N., Wild, J., Liness, S., Albert, I. & Clark, D.M. (2014). A randomized controlled trial of 7-day intensive and standard weekly cognitive therapy for PTSD and emotion-focused supportive therapy. *American Journal of Psychiatry*, 171(3), 294-304.

Murphy, D., Hodgman, G., Carson, C., Spencer-Harper, L., Hinton, M., Wessely, S. & Busuttil, W. (2015). Mental health and functional impairment outcomes following a 6-week intensive treatment program for UK military veterans with post-traumatic stress disorder (PTSD): A naturalistic study to explore dropout and health outcomes at follow-up. *British Medical Journal Open*, 5.

Murray, H., El-Leithy, S. & Billings, J. (2017). Intensive cognitive therapy for post-traumatic stress disorder in routine clinical practice: A matched comparison audit. *British Journal of Clinical Psychology*, 56, 474-478.

Dunlop, B. W., Kaye, J. L., Youngner, C. & Rothbaum, B. (2014). Assessing treatment-resistant posttraumatic stress disorder: The Emory treatment resistance interview for PTSD (E-TRIP). *Behavioral Sciences*, 4(4), 511-527.

Referenties hoofdstuk 6

Anthony, W.A. (1993). Recovery from mental illness: The guiding vision of the mental health service system in the 1990s. *Psychosocial rehabilitation journal*, 16(4), 11.

Boevink, W., Prinsen, M., Elfers, L., Droes, J., Tiber, M. & Wilrycx, G.K.M.L. (2009). Herstelondersteunende zorg, een concept in ontwikkeling. *Tijdschrift voor Rehabilitatie*, 18(1), 42-54.

Smid, R. & Vermin, S. Na de vlucht. <http://www.equatorfoundation.nl/sites/default/files/domain-24/Na%20de%20vlucht.pdf>

Contouren verbeterd stelsel beroepsziekten, beroepsincidenten en dienstongevallen. Kamerstuk 29628, nr. 945. 23 april 2020.

Referenties hoofdstuk10

Visser, M. 2016. The impact of destructive parental conflicts on children and their families. The role of parental availability, mother-child emotion dialogues, and forgiveness. (Proefschrift). Amsterdam: Vrije Universiteit Amsterdam.

Delft, I. van. 2016. The impact of child sexual abuse on children and their families: The role of mother-child emotion dialogues, secrecy, disgust sensitivity, and social connectedness. (Proefschrift). Amsterdam: Vrije Universiteit Amsterdam.

Wolf, E. J., Lunney, C. A., Miller, M. W., Resick, P. A., Friedman, M. J., & Schnurr, P. P. (2012). The dissociative subtype of PTSD: A replication and extension. *Depression and Anxiety*, 29(8), 679-688. doi:10.1002/da.21946

Wolf, E. J., Miller, M. W., Reardon, A. F., Ryabchenko, K. A., Castillo, D., & Freund, R. (2012). A latent class analysis of dissociation and posttraumatic stress disorder: Evidence for a dissociative subtype. *JAMA Psychiatry*, 69(7), 698-705.

Hagenaars, M. A., van Minnen, A., & Hoogduin, K. A. L. (2010). The impact of dissociation and depression on the efficacy of prolonged exposure treatment for PTSD. *Behaviour Research and Therapy*, 48(1), 19-27. doi:10.1016/j.brat.2009.09.001

Halvorsen, J. Ø., Stenmark, H., Neuner, F., & Nordahl, H. M. (2014). Does dissociation moderate treatment outcomes of narrative exposure therapy for PTSD? A secondary analysis from a randomized controlled clinical trial. *Behaviour Research and Therapy*, 57, 21-28.

Minnen, A. van., Vleugel, B. van der, Berg D. van den, Bont, P. de , Roos, C. de , Gaag, M. van der & Jongh, A. de. (2016). Trauma-focused treatment is equally effective for psychotic patients with the dissociative subtype of PTSD as for those without this subtype. *British Journal of Psychiatry*, 209(4), 347-348.

Taylor, S. (2003). Outcome Predictors for Three PTSD Treatments: Exposure Therapy, EMDR, and Relaxation Training. *Journal of Cognitive Psychotherapy* 17 (2), 149-162.

Wolf, E. J., Lunney, C. A., & Schnurr, P. P. (2016). The influence of the dissociative subtype of posttraumatic stress disorder on treatment efficacy in female veterans and active duty service members. *Journal of consulting and clinical psychology*, 84(1), 95

Dorrepaal E, Thomaes K, Hoogendoorn AW, Veltman DJ, Draijer N, van Balkom AJ. Evidence based treatment for adult women with child abuse related Complex PTSD: a quantitative review. *Eur J Psychotraumatol* 2014; 5: 23613 <http://dx.doi.org/10.3402/ejpt.v5.23613>.

Ehring, T., Welboren, R., Morina, N., Wicherts, J. M., Freitag, J., & Emmelkamp, P. M. (2014). Meta-analysis of psychological treatments for posttraumatic stress disorder in adult survivors of childhood abuse. *Clinical psychology review*, 34(8), 645-657.

Cloitre, M., Stovall-McClough, K.C., Noonan, K., Zorbas, P., Cherry, S., Jackson, C.L., Gan, W. & Petkova, E. (2010). Treatment for PTSD related to childhood abuse: A randomized controlled trial. *American Journal of Psychiatry*, 167, 915-924.

Seda, G., Sanchez-Ortuno, M.M., Welsh, C.H., Halbower, A.C. & Edinger, J.D. (2015). Comparative meta-analysis of prazosin and imagery rehearsal therapy for nightmare frequency, sleep quality and posttraumatic stress. *Journal of Clinical Sleep Medicine*, 11(1), 11.

George, K.C., Kebejian, L., Ruth, L.J., Miller, C.W. & Himelhoch, S. (2016). Meta-analysis of the efficacy and safety of prazosin versus placebo for the treatment of nightmares and sleep disturbances in adults with posttraumatic stress disorder. *Journal of Trauma & Dissociation*, 17(4), 494-510.

Khachatryan, D., Groll, D., Booij, L., Sepehry, A.A. & Schütz, C.G. (2016). Prazosin for treating sleep disturbances in adults with posttraumatic stress disorder: a systematic review and meta-analysis of randomized controlled trials. *General Hospital Psychiatry*, 39, 46-52.

Rodgman, C., Verrico, C.D., Holst, M., Thompson-Lake, D., Haile, C.N., De La Garza, R. & Newton, T.F. (2016). Doxazosin XL reduces symptoms of Posttraumatic Stress Disorder in veterans with PTSD: a pilot clinical trial. *Journal of Clinical Psychiatry*, 77(5), 561-565.

Smith, C. & Koola, M.M. (2016). Evidence for Using Doxazosin in the Treatment of Posttraumatic Stress Disorder. *Psychiatric annals*, 46(9), 553-555.

Lipinska, G., Baldwin, D.S. & Thomas, K.G. (2016). Pharmacology for sleep disturbance in PTSD. *Human Psychopharmacology*, 31(2), 156-63.

Schneier, F.R., Campeas, R., Carcamo, J., Glass, A., Lewis-Fernandez, R., Neria, Y., Sanchez-Lacay, A., Vermes, D. & Wall, M. M. (2015). Combined mirtazapine and SSRI treatment of PTSD: A placebo-controlled trial. *Depression and Anxiety*, 32, 570-579.

Davidson, J. (2015). Vintage treatments for PTSD: a reconsideration of tricyclic drugs. *Journal of Psychopharmacology*, 29(3), 264-9.

Villarreal, G., Hamner, M.B., Cañive, J.M., Robert, S., Calais, L.A., Durklaski, V., Zhai, Y. & Qualls, C. (2016). Efficacy of Quetiapine Monotherapy in Posttraumatic Stress Disorder: A Randomized, Placebo-Controlled Trial. *American Journal of Psychiatry*, 173 (12), 1205-1212.

Belkin, M.R. & Schwartz, T.L. (2015). Alpha-2 receptor agonists for the treatment of posttraumatic stress disorder. *Drugs in Context*, 4, 212286. <http://doi.org/10.7573/dic.212286>.

Batki, S.L., Pennington, D.L., Lasher, B., Neylan, T.C., Metzler, T., Waldrop, A., ... Herbst, E. (2014). Topiramate Treatment of Alcohol Use Disorder in Veterans with PTSD: A Randomized Controlled Pilot Trial. *Alcoholism, Clinical and Experimental Research*, 38(8), 2169-2177.

Referenties teksttoelichtingen

Wald, I., Fruchter, E., Ginat, K., Stolin, E., Dagan, D. Bliese, P.D., Quartana, P.J., Sipos, M.L., Pine, D.S. & Bar-Haim, Y. Selective prevention of combat-related post-traumatic stress disorder using attention bias modification training: a randomized controlled trial. *Psychological Medicine*, 5, 1-10.

Rothbaum, B. O., Kearns, M. C., Price, M., Malcoun, E., Davis, M., Ressler, K. J., ... Houry, D. (2012). Early Intervention May Prevent the Development of PTSD: A Randomized Pilot Civilian Study with Modified Prolonged Exposure. *Biological Psychiatry*, 72(11), 957-963.

Rose, S., Bisson, J., Churchill, R. & Wessely, S. (2002). Psychological debriefing for preventing post traumatic stress disorder (PTSD). *Cochrane Database of Systematic Reviews*, 2.

Van Emmerik, A. A., Kamphuis, J. H., Hulsbosch, A. M., & Emmelkamp, P. M. (2002). Single session debriefing after psychological trauma: a meta-analysis. *The Lancet*, 360(9335), 766-771.

Roberts NP, Kitchiner NJ, Kenardy J, Bisson JI. (2009). Multiple session early psychological interventions for the prevention of post-traumatic stress disorder. *Cochrane Database of Systematic Reviews*, 3.

Sijbrandij, M., Olff, M., Reitsma, J. B., Carlier, I. V. E., & Gersons, B. P. R. (2006). Emotional or educational debriefing, a randomised controlled trial. *British Journal of Psychiatry*, 189, 150-155.

Minnen, A. van, Zoellner, L. A., Harned, M. S. & Mills, K. (2015). Changes in comorbid conditions after prolonged exposure for PTSD: a literature review. *Current Psychiatry Reports*, 17(3), 1-16.

De Jongh, A., Resick, P.A., Zoellner, L.A., Van Minnen, A., Lee, C.W., Monson, C.M., Bicanic, I.A.E. (2016). Critical analysis of the current treatment guidelines for complex PTSD in adults. *Depression and Anxiety*, doi: 10.1002/da.22469

Rosner, R., Pfoh, G., Kotoucova, M., & Hagl, M. (2014). Efficacy of an outpatient treatment for prolonged grief disorder: a randomized controlled clinical trial. *Journal of Affective Disorders*, 167, 56-063.

Shear, K., Frank, E., Houck, P. R., & Reynolds, C. F. III. (2005). Treatment of complicated grief: A randomized controlled trial. *JAMA*, 293, 2601-2608.

Shear, M. K., Reynolds, C. F., Simon, N. M., Zisook, S., Wang Y., Mauro C., Duan, N., Lebowitz, B. & Skritskaya N. (2016). Optimizing Treatment of Complicated Grief: A Randomized Clinical Trial. *JAMA Psychiatry*, 73, 685-694.

Shear, M. K., Wang, Y., Skritskaya, N., Duan, N., Mauro, C., & Ghesquiere, A. (2014). Treatment of complicated grief in elderly persons: a randomized clinical trial. *JAMA Psychiatry*, 71, 1287-1295

Boelen, P. A., Keijser, J. de, Hout, M. A. van den, & Bout, J. van den (2007). Treatment of Complicated Grief: A comparison between cognitive behavioral therapy and supportive counseling. *Journal of Consulting and Clinical Psychology*, 75, 277-284.

Bryant, R.A., Kenny, L., Joscelyne, A., Rawson, N., Maccallum, F., Cahill, C., Hopwood, S., Aderka, I., & Nickerson, A. (2014). Treating prolonged grief disorder a randomized clinical trial. *JAMA Psychiatry*, 71, 1332-1339.

Eisma, M. C., Boelen, P. A., Van den Bout, J., Stroebe, W., Schut, H. A. W., Lancee, J., & Stroebe, M. S. (2015). Internet-based exposure and behavioral activation for complicated grief and rumination: A randomized controlled trial. *Behavior Therapy*, 46, 729-748.

Wagner B, Knaevelsrud C, Maercker A. Internet-based cognitive-behavioral therapy for complicated grief: a randomized controlled trial. *Death Stud* 2006; 30(5): 429-53.

Smid, G. E., Kleber, R. J., de la Rie, S. M., Bos, J. B. A., Gersons, B. P. R., & Boelen, P. A. (2015). Brief Eclectic Psychotherapy for Traumatic Grief (BEP-TG): Toward integrated treatment of symptoms related to traumatic loss. *European Journal of Psychotraumatology*, 6(27324). doi:10.3402/ejpt.v6.27324

Zisook, S., Shuchter, S. R., Pedrelli, P., Sable, J. & Deaciuc, S. C. (2001). Bupropion sustained release for bereavement: results of an open trial. *Journal of Clinical Psychiatry*, 62(4), 227-230.

Hensley, P. L., Slonimski, C. K., Uhlenhuth, E. H. & Clayton, P. J. (2009). Escitalopram: an open-label study of bereavement-related depression and grief. *Journal of Affective Disorders* 113(1-2), 142-149.

Shear, M. K., Reynolds, C. F., Simon, N. M., Zisook, S., Wang Y., Mauro C., Duan, N., Lebowitz, B. & Skritskaya N. (2016). Optimizing Treatment of Complicated Grief: A Randomized Clinical Trial. *JAMA Psychiatry*, 73, 685-694.

Referenties Bijlagen

Bijlage 3 Veteranen

Alfano, C. A., Lau, S., Balderas, J., Bunnell, B. E. & Beidel, D. C. (2016). The impact of military deployment on children: Placing developmental risk in context. *Clinical Psychology Review*, 43, 17-29.

Ambaum, J. & Van den Berg, C. (2012). De militaire context van blootstelling aan oorlog en uitzending. In E. Vermetten, R.J. Kleber, & O. Van der Hart (Eds.), *Handboek Posttraumatische stressstoornissen* (pp 111-128), Utrecht: De Tijdstroom.

Bergmans, A. Roose, W., & Van Ulden, A. (2012). Weer thuis na uitzending: Onderzoek naar de nazorg en re-integratie na terugkeer van een missie. Doorn: Veteraneninstituut.

Bramoweth, A. D. & Germain, A. (2013). Deployment-Related Insomnia in Military Personnel and Veterans. *Curr Psychiatry Rep*, 15: 401. doi:10.1007/s11920-013-0401-4

Dirksen, M. (2015). *Kerngegevens Veteranen 2015*. Doorn: Veteraneninstituut

Dirkzwager, A. J. E., Bramsen, I., Adèr, H., & Van der Ploeg, H. M. (2005). Secondary Traumatization in Partners and Parents of Dutch Peacekeeping Soldiers. *Journal of Family Psychology*, 19, 217-226. <http://dx.doi.org/10.1037/0893-3200.19.2.217>

Drescher, K. D., Foy, D. W., Kelly, C., Leshner, A., Schutz, K., & Litz, B. (2011). An exploration of the viability and usefulness of the construct of moral injury in war veterans. *Traumatology*, 17, 8-13. doi:10.1177/1534765610395615.

Ee, E. van, Kleber, R. J., & Jongmans, M. J. (2016). Relational patterns between traumatized parents and their non-traumatized children, a review. *Trauma, Violence & Abuse*, 17, 186-203. pii: 1524838015584355.

Elands, M. & Schoeman, J. R. (2009). *Onderzoekswijzer: Inventarisatie onderzoek maatschappelijke erkenning veteranen*. Doorn: Veteraneninstituut.

Forbes, D., Creamer, M., Hawthorne, G., Allen, N., & McHugh, T. (2003). Comorbidity as a predictor of symptom change after treatment in combat-related posttraumatic stress disorder. *The Journal of nervous and mental disease*, 191(2), 93-99.

Frankfurt, S., & Frazier, P. (2016). A Review of Research on Moral Injury in Combat Veterans. *Military Psychology*. Advance online publication. <http://dx.doi.org/10.1037/mil0000132>

Haagen, J. F. G. (2015). Verkenning verschillen veteranen en militairen in behandeling voor posttraumatische stressstoornis. Intern Rapport. Diemen: Arq Psychotrauma Expert Groep

Haagen, J. F. G., Smid, G. E., Knipscheer, J. W. & Kleber, R. J. (2015). The efficacy of recommended treatments for veterans with PTSD: A metaregression analysis.

Hovens, H. (2012). Boosheid en Agressie. In E. Vermetten, R. J. Kleber, & O. Van der Hart (Eds.), Handboek Posttraumatische stressstoornissen (pp 675-686), Utrecht: De Tijdstroom.

Kulka, R. A., Schlenger, W. E., Fairbank, J. A., Hough, R. L., Jordan, B. K., Marmar, C. R., & Weiss, D. S. (1990). Trauma and the Vietnam War Generation. New York: Brunner/Mazel.

Litz, B. T., Stein, N., Delaney, E., Lebowitz, L., Nash, W. P., Silva, C.& Maguen, S. (2009). Moral injury and moral repair in war veterans: A preliminary model and intervention strategy. *Clinical Psychology Review*, 29, 695-706. doi:10.1016/j.cpr.2009.07.003.

Lloyd, D., Nixon, R. D. V., Varker, T., Elliott, P., Perry, D., Bryant, R. A., ... & Forbes, D. (2014). Comorbidity in the prediction of Cognitive Processing Therapy treatment outcomes for combat-related posttraumatic stress disorder. *Journal of anxiety disorders*, 28, 237-240.
<http://dx.doi.org.proxy.library.uu.nl/10.1016/j.janxdis.2013.12.002>

McLay, R. N., Webb-Murphy, J. A., Fesperman, S. F., Delaney, E. M., Gerard, S. K., Roesch, S. C., ... & Johnston, S. L. (2016). Outcomes From Eye Movement Desensitization and Reprocessing in Active-Duty Service Members With Posttraumatic Stress Disorder. *Psychological Trauma: Theory, Research, Practice, and Policy*, 8, 702-708. <http://dx.doi.org/10.1037/tra0000120>

Os, J. van, Delespaul, P., Boevink, W., & Milo, M. (2015). Pamflet De Nieuwe GGZ.
<http://www.denieuweggz.nl/ondertekenaars/>

Rie, S. de la. (2014). Uw mening, onze missie. Het perspectief van veteranen en hun partners op zorg. Diemen: Cogiscope.

Schagen, A. van, Lancee, J., & Spoormaker, V. (2012). Imaginatie- en rescriptingtherapie va nachtmerries. Houten: Bohn Stafleu van Loghum.

Schouten, K. A., De Niet, G. J., Knipscheer, J. W., Kleber, R. J., & Hutschemaekers, G. J. (2015). The effectiveness of art therapy in the treatment of traumatized adults: a systematic review on art therapy and trauma. *Trauma Violence Abuse*, 220-228. doi:10.1177/1524838014555032

Stöfssel, M., & Mooren, T. (2011). Complex trauma: Diagnostiek en behandeling. Bohn Stafleu van Loghum.

Stratton, P., Lask, J., Bland, J., Nowotny, E., Evans, C., Singh, R., Janes, E., & Peppiatt, A. (2013) Validation of the SCORE-15 Index of Family Functioning and Change in detecting therapeutic improvement early in therapy. *Journal of Family Therapy*, 36, 3-19.

Taft, C. T., Weatherill, R. P., Woodward, H. E., Pinto, L. A., Watkins, L. E., Miller, M. W., & Dekel, R. (2009). Intimate partner and general aggression perpetration among combat veterans presenting to a posttraumatic stress disorder clinic. *American Journal of Orthopsychiatry*, 79(4), 461.
doi:10.1037/a0016657

VA-DoD [Department of Veterans Affairs Department of Defense], (2010). VA/DoD clinical practice guideline for management of post-traumatic stress. Washington: VA-DoD

Bijlage 5 Instrumenten voor Screening, Diagnostiek en Monitoring

Defares, P.B., Ploeg, H.M. van der, Spiegelberger, C.D. (1980). Een nederlandstalige bewerking van de Spielberger State-Trait Anxiety Inventory: de Zelf-Beoordelings Vragenlijst, *De Psycholoog* 15, p. 460 – 467.

Does, AJW van der (2002). Handleiding bij de Nederlandse versie van Beck Depression Inventory - second edition (BDI-II-NL). Amsterdam: Pearson.

Marmar C, Metzler T, Otte C. The Peritraumatic Dissociative Experiences Questionnaire. In: JP Wilson & T.M. Keane (Editors), *Assessing psychological trauma and PTSD*. New York, NY: Guilford Press; 2004. Nederlandse vertaling Kleber en Van der Hart, 1998. Kleber, R.J. & Hart, O. van der (1998). Peritraumatische dissociatie: acute reacties op schokkende gebeurtenissen en hun gevolgen. *Dth*, 18, (4), 340-355

Mouthaan J., Sijbrandij M., Reitsma J.B., Gersons B.P., & Olf M., *PLoS One*, 2014, doi: 10.1371/journal.pone.0097183. Impact of Event Scale, Revised (Vertaling TZP Psychotrauma AMC - 2006

Brom, D. & Kleber, R.J. (1985). De Schok Verwerkings Lijst. *Nederlands Tijdschrift voor de Psychologie*, 40, 164-168 (gemoderniseerde versie: Kleber & de Jong, 1998)

Ploeg, E. van der, Mooren, T. T., Kleber, R. J., Velden, P. G. van der, & Brom, D. (2004). Construct validation of the Dutch version of the impact of event scale. *Psychological Assessment*, 16(1), 16-26. doi:10.1037/1040-3590.16.1.16

https://www.tijdschriftvoorpsychiatrie.nl/assets/measuringinstruments/meetinstrumenten_118pdf.pdf

Sijbrandij, M., Olf, M., Opmeer, B.C., Carlier, I.V. & Gersons, B.P. (2008). Early prognostic screening for posttraumatic stress disorder with the Davidson Trauma Scale and the SPAN. *Depression and Anxiety*, 25(12), 1038-45. doi: 10.1002/da.20441.

Bakker, A., van der Meer, C.A.I. & Olf, M. (2014). The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5).

Boeschoten, M.A., Bakker, A., Jongedijk, R.A. & Olf, M. (2014). Life Events Checklist for DSM-5– Nederlandstalige versie. Diemen: Arq Psychotrauma Expert Groep.

Y. Lecrubier, E. Weiller, T. Hergueta, P. Amorim, L.I. Bonora J.P. Lépine, D. Sheehan, J. Janavs, E. Knapp, M. Sheehan, R. Baker, K.H. Sheehan (1997) Mini International Neuropsychiatric Interview (M.I.N.I.) (Nederlandse versie door T.Overbeek, K.Schruers, E.Griez, Universiteit Maastricht <https://hulp.gids.nl/assets/files/pdf/testen/mini.pdf>)

First, M.B., Gibbon, M., Spitzer, R.L., Williams, J.B.W. (1996). User's guide for the Structured Clinical Interview for the DSM-IV Axis I disorders - research version. New York: Biometrics Research Department, New York State Psychiatric Institute.

Weathers, F.W., Blake, D.D., Schnurr, P.P., Kaloupek, D.G., Marx, B.P., & Keane, T.M. (2013). The Life Events Checklist for DSM-5 (LEC-5). Instrument available from the National Center for PTSD at <http://www.ptsd.va.gov>

Boeschoten, M.A., Bakker, A., Jongedijk, R.A. & Olff, M. (2014). Life Events Checklist for DSM-5–Nederlandstalige versie. Diemen: Arq Psychotrauma Expert Groep.

Thombs, B.D., Bernstein, D.P., Lobbestael, J., Arntz, A. (2009). A validation study of the Dutch Childhood Trauma Questionnaire-Short Form: Factor structure, reliability, and known-groups validity. *Child Abuse and Neglect*, 33, 518-523.

Nijenhuis, E.R.S., Hart O. van der, & Kruger K. (2002). The psychometric characteristics of the Traumatic Experiences Questionnaire (TEC): First findings among psychiatric outpatients. *Clinical Psychology and Psychotherapy*, 9, 200-210.

Mouthaan, J., Sijbrandij, M., Reitsma, J.B., Gersons, B.P.R., & Olff, M. (2014). Comparing Screening Instruments to Predict Posttraumatic Stress Disorder. *PLoS One*, 9(5), e97183.

Boeschoten, M.A., Bakker, A., Jongedijk, R.A. & Olff, M. (2014). Life Events Checklist for DSM-5–Nederlandstalige versie. Diemen: Arq Psychotrauma Expert Groep.

Davidson, J.R.T., Malik, M.A. & Travers, J. (1997a). Structured interview for PTSD (SIP): Psychometric validation for DSM-IV criteria. *Depression and Anxiety*, 5(3), 127-129.

Mollica, R.F., Caspi, Y., Bollini, P., Truong, T., Tor, S. & Lavelle, J. (1992). The Harvard Trauma Questionnaire. *Journal of Nervous & Mental Disease* 180(2):111-6

Carlier, I.V., Lamberts, R.D., Van Uchelen, A.J., Gersons, B.P. (1998). Clinical utility of a brief diagnostic test for posttraumatic stress disorder. *Psychosomatic Medicine*, 60, 42-7.

Hovens, J.E., Ploeg, H.M. van der, Bramsen, I., Klaarenbeek, M.T.A., Schreuder, J.N. & Rivero, V.V. (1994). The development of the self-rating inventory for posttraumatic stress disorder. *Acta Psychiatrica Scandinavica*, 90, 172-183.

Foa, E., Riggs, D., Dancu, C., & Rothbaum, B. (1993). Reliability and validity of a brief instrument for assessing post-traumatic stress disorder. *Journal of Traumatic Stress*, 6, 459-474.

Engelhard, I.M., & Arntz, A. (2006). De ptss symptoom schaal (pss). Intern manuscript.

First, M.B., Gibbon, M., Spitzer, R.L., Williams, J.B.W. (1996). User's guide for the Structured Clinical Interview for the DSM-IV Axis I disorders - research version. New York: Biometrics Research Department, New York State Psychiatric Institute.

Groenestijn, M.A.C. van, Akkerhuis, G.W., Kupka, R.W., Schneider, N. & Nolen, W.A. (1999). Gestructureerd klinisch interview voor de vaststelling van DSM-IV As-I stoornissen. Lisse: Swets en Zeitlinger.

Shea, S.C. (1998). The chronological assessment of suicide events: a practical interviewing strategy for the elicitation of suicidal ideation. *Journal of Clinical Psychiatry*, 59 (suppl 20), 58-72.

Schippers, G.M., Broekman, T.G., & Buchholz, A. (2007). MATE 2.0. Handleiding & protocol. Nijmegen: Bêta Boeken.

Weertman, A., Arntz, A., Dreessen, L., van Velzen, C., & Vertommen, S. (2003). Short-interval test-retest interrater reliability of the Dutch version of the structured clinical interview for DSM-IV personality disorders (SCID-II). *Journal of Personality Disorders*, 17, 562-567.

Pfohl, B.M.D., Blum, N.M.S.W. & Zimmerman, M.M.D. (1997). Structured Interview for DSM Personality Disorders (SIDP-IV). Arlington: American Psychiatric Association Publishing.

Loranger, A.W., Janca, A. & Sartorius, N. (1997). Assessment and Diagnosis of Personality Disorders. The ICD-10 International Personality Disorder Examination (IPDE). Cambridge: Cambridge University Press.

Pelcovitz, D., Kolk, B. van der, Roth, S., Mandel, F., Kaplan, S. & Resick, P. (1997). Development of a criteria set and a Structured Interview for Disorders of Extreme Stress (SIDES). *Journal of Traumatic Stress*, 10 (1), 3-16.

Scoboria, A., Ford, J., Lin, H-J. & Frisman, L. (2008). Exploratory and confirmatory factor analyses of the Structured Interview for Disorders of Extreme Stress. *Assessment*, 15, 404-425.

Zlotnick, C. & Pearlstein, T. (1997). Validation of the Structured Interview for Disorders of Extreme Stress. *Comprehensive Psychiatry*, 38, 243-247.

Boelen, P. A., & Smid, G. E. (2017) The Traumatic Grief Inventory Self Report Version (TGI-SR): Introduction and preliminary psychometric evaluation. *Journal of Loss and Trauma*, 22, 196-212. doi.org/10.1080/15325024.2017.1284488

Diehle, J., Roos, C. de, Boer, F., & Lindauer, R.J.L. (2013). A cross-cultural validation of the Clinician Administered PTSD Scale for Children and Adolescents in a Dutch population. *European Journal of Psychotraumatology*.

Verlinden, E., Laar, van Y.L., Meijel, van E.P.M., Opmeer, B.C., Beer, R., Roos, de C., ... Lindauer, R.J.L. (2014b). A parental tool to screen for posttraumatic stress in children: First psychometric results. *Journal of Traumatic Stress*, doi: 10.1002/jts.21929.

Verlinden, E., van Meijel, E.P.M., Opmeer, B.C., Beer, R. de Roos, C., Bicanic, I.A.E., Lamers-Winkelmann, F., Olff, M., Boer, F., Lindauer, R.J.L (2014a). Characteristics of the Children's Revised Impact of Event Scale (CRIES) in a clinically referred Dutch sample. *Journal of Traumatic Stress*, 27, 1-7. doi: 10.1002/jts.21910.

Briere, J., Johnson, K., Bissada, A., Damon, L., Crouch, J., Gil, E., Hanson, R., & Ernst, V. (2001). The Trauma Symptom Checklist for Young Children (TSCYC): Reliability and association with abuse exposure in a multi-site study. *Child Abuse & Neglect*, 25, 1001-1014

Alisic, E., Eland, J, Huijbregts, R.A.D. & Kleber, R.J. (2012). *Schokverwerkingslijst voor kinderen: herziene handleiding*. Den Haag: Boom Tests uitgevers.

Friedrich, W.N. (1997). Child Sexual Behavior Inventory: Professional Manual. Odessa, FL: Psychological Assessment Resources.

Bijlage 7 Suicidaliteit en Behandeling PTSS

Bryan, C. J. (2016). Treating PTSD Within the Context of Heightened Suicide Risk. *Current Psychiatry Reports*, 18(8), 1-7.